



...advanced chemical
solutions for industry...

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

D411

Revision 6

Revision date 2015-06-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	D411
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

1.4. Emergency telephone number

Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R41 Symbols: Xi: Irritant.
Main hazards	Risk of serious damage to eyes.
2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

D411

Revision 6

Revision date 2015-06-18

2.2. Label elements

Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

2.3. Other hazards

Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.
----------------------	----------------------------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Xi; R38-41	
WATER					70 - 80%		
AMINE SALT OF ALKYL BENZENE SULPHONIC ACID		90194-42-6			1 - 10%	Xi; R38-41	
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	
SODIUM LAURETH ETHER SULPHATE				01-2119488639-16	0.5 - 1%	Xi; R36/38	
Dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5%	R10 Xi; R38 R43 N; R50/53	
HEXYL CINNAMAL		101-86-0			0 - 0.5%		
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Xn; R22-48/22 Xi; R38-41	
GLYCERINE (Glycerol, mist)		56-81-5	200-289-5		1 - 10%		
SODIUM CHLORIDE		7647-14-5	231-598-3		0 - 0.5%		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
WATER					70 - 80%		
AMINE SALT OF ALKYL BENZENE SULPHONIC ACID		90194-42-6			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;	
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317;	
SODIUM LAURETH ETHER SULPHATE				01-2119488639-16	0.5 - 1%	Skin Irrit. 2: H315; Eye Dam. 1: H318;	
Dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
HEXYL CINNAMAL		101-86-0			0 - 0.5%		
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Acute Tox. 4: H302; STOT RE 2: H373; Skin Irrit. 2: H315; Eye Dam. 1: H318;	
GLYCERINE (Glycerol, mist)		56-81-5	200-289-5		1 - 10%		
SODIUM CHLORIDE		7647-14-5	231-598-3		0 - 0.5%		

SECTION 4: First aid measures

4.1. Description of first aid measures

D411

Revision 6

Revision date 2015-06-18

4.1. Description of first aid measures

Inhalation	No Significant Hazard.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

	No Significant Hazard.
--	------------------------

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.1.1. Exposure Limit Values**

D411

Revision 6

Revision date 2015-06-18

8.1.1. Exposure Limit Values

Formaldehyde...% (Formaldehyde)	WEL 8-hr limit ppm: 2	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit ppm: 2	WEL 15 min limit mg/m3: 2.5
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
GLYCERINE (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Green
Odour	Mild
Relative density	1.03 NOMINAL
pH	6.5-8.5
Initial boiling point	100

Water solubility

	Soluble in water.
--	-------------------

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product. Ingestion may cause nausea and vomiting.
Skin corrosion/irritation	May cause irritation to eyes.

SECTION 12: Ecological information

12.1. Toxicity

	No data is available on this product.
--	---------------------------------------

12.2. Persistence and degradability

	More than 90% biodegradable.
--	------------------------------

12.3. Bioaccumulative potential

D411

Revision 6

Revision date 2015-06-18

12.3. Bioaccumulative potential

Does not bioaccumulate.

Further information

No known adverse environmental effects.

SECTION 13: Disposal considerations**General information**

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information**Further information**

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information**15.2. Chemical safety assessment**

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information**Other information**

Revision	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Disposal.
Text of risk phrases in Section 3	R10 - Flammable R22 - Harmful if swallowed. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R36/38 - Irritating to eyes and skin. R38 - Irritating to skin. R40 - Limited evidence of a carcinogenic effect. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of Hazard Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.