



...advanced chemical
solutions for industry...

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

EP 02124

Revision 4

Revision date 2016-03-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	EP 02124
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

1.4. Emergency telephone number

Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R36/37/38 R67 Symbols: Xi: Irritant.
Main hazards	Irritating to eyes, respiratory system and skin. Vapours may cause drowsiness and dizziness.
2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318; STOT SE 3: H336;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

EP 02124

Revision 4

Revision date 2016-03-22

2.2. Label elements

Precautionary Statement: Storage	lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER/doctor/ or /if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to requirements of local authorities

2.3. Other hazards

Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.
----------------------	----------------------------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Ammonia solution	007-001-01-2	1336-21-6	215-647-6	01-2119488876-14	1 - 10%	C; R34 N; R50	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		20 - 30%	F; R11 Xi; R36 R67	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Xn; R22 Xi; R41	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					30 - 40%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0.5 - 1%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
Ammonia solution	007-001-01-2	1336-21-6	215-647-6	01-2119488876-14	1 - 10%	Skin Corr. 1B: H314; Aquatic Acute 1: H400;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		20 - 30%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
DISTILLED TALL OIL(NEUTRALISED) ALCOHOL ETHOXYLATE		68439-46-3			10 - 20%		
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Corr. 1A: H314;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

EP 02124

Revision 4

Revision date 2016-03-22

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Ensure adequate ventilation of the working area.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

	No data is available on this product.
--	---------------------------------------

8.2. Exposure controls

8.2.1. Appropriate engineering controls

	Ensure adequate ventilation of the working area.
--	--

8.2.2. Individual protection measures

	Wear protective clothing.
--	---------------------------

Eye / face protection

	In case of splashing, wear: Approved safety goggles.
--	--

Skin protection -
Handprotection

	Chemical resistant gloves (PVC).
--	----------------------------------

Respiratory protection

	Not normally required. Wear suitable respiratory equipment when necessary.
--	--

SECTION 9: Physical and chemical properties

EP 02124

Revision 4
Revision date 2016-03-22

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Ammoniacal
pH	9.0 NOMINAL
Initial boiling point	100
Relative density	0.95 NOMINAL

Water solubility

	Soluble in water.
--	-------------------

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.4. Conditions to avoid

	Heat will increase pressure in sealed containers.
--	---

Further information

	Keep away from heat as flammable vapours may be formed.
--	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product. May cause dizziness and headache.
Skin corrosion/irritation	Irritating to eyes, respiratory system and skin.

SECTION 12: Ecological information

12.1. Toxicity

	No data is available on this product.
--	---------------------------------------

12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE.
--	--

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

Further information

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.2. Chemical safety assessment

	No chemical Safety assessment has been carried out by the supplier.
--	---

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas: 1 - REACH. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Signal Word. 2 - Precautionary Statement: Prevention.
----------	--

EP 02124

Revision 4

Revision date 2016-03-22

Other information

	<p>2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 6 - 6.1. Personal precautions, protective equipment and emergency procedures. 8 - Respiratory protection. 8 - DNEL: Derived no-effect level. 12 - 12.1. Toxicity. 15 - 15.2. Chemical safety assessment.</p>
Text of risk phrases in Section 3	<p>R11 - Highly flammable. R22 - Harmful if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36 - Irritating to eyes. R41 - Risk of serious damage to eyes. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.</p>
Text of Hazard Statements in Section 3	<p>Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Carc. 2: H351 - Suspected of causing cancer . Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation.</p>

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---