



...advanced chemical solutions for industry...

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

EP 07111

Revision 1

Revision date 2015-11-16

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name	EP 07111
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

### 1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

### 1.4. Emergency telephone number

Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R38-41 R52/53 Symbols: Xi: Irritant.
Main hazards	Irritating to skin. Risk of serious damage to eyes. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314; Aquatic Chronic 3: H412;

### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

## EP 07111

Revision 1

Revision date 2015-11-16

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ . P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse.
<b>Precautionary Statement: Storage</b>	P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
BENZYLAMMONIUM CHLORIDE		68391-05-5	269-919-4		1 - 10%	C; R34 Xn; R22 N; R50	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
QUATERNARY FATTY AMINE ETHOXYLATE		68989-03-7			1 - 10%	Xi; R41 N; R51/53	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	1 - 10%	C; R34	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Xn; R22 Xi; R41	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Xi; R36	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
BENZYLAMMONIUM CHLORIDE		68391-05-5	269-919-4		1 - 10%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
LAURYL BETAINE		66455-29-6	266-368-1		0.5 - 1%		
QUATERNARY FATTY AMINE ETHOXYLATE		68989-03-7			1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335;	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;	
ANTI FOAM					0 - 0.5%		
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## EP 07111

Revision 1

Revision date 2015-11-16

## 4.1. Description of first aid measures

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Carbon dioxide (CO <sub>2</sub> ).
--	------------------------------------

## 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

## 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m <sup>3</sup> : -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m <sup>3</sup> : 2
	WEL 8-hr limit mg/m <sup>3</sup> total -	WEL 15 min limit mg/m <sup>3</sup> total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m <sup>3</sup> total -	WEL 15 min limit mg/m <sup>3</sup> total -
	respirable dust:	respirable dust:

## DNEL: Derived no-effect level.

	No data is available on this product.
--	---------------------------------------

## EP 07111

Revision 1

Revision date 2015-11-16

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
pH	11.5 NOMINAL
Initial boiling point	100
Relative density	1.075 NOMINAL

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin corrosion/irritation	Irritating to eyes and skin.
---------------------------	------------------------------

## 11.1.4. Toxicological Information

QUATERNARY FATTY AMINE ETHOXYLATE	Oral Rat LD50: <2000mg/kg
-----------------------------------	---------------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

QUATERNARY FATTY AMINE ETHOXYLATE	Fathead minnows LC50/96h: 1-10mg/l
-----------------------------------	------------------------------------

## 12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not biodegradable however those present in this formulation/product are either of no known significant environmental hazard or are readily neutralised to form inert salts. More than 90% biodegradable.
--	--

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## Further information

	The product is not classified as dangerous for carriage.
--	--

## EP 07111

Revision 1

Revision date 2015-11-16

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

No chemical Safety assessment has been carried out by the supplier.

**SECTION 16: Other information****Other information**

<b>Revision</b>	<p>This document differs from the previous version in the following areas:</p> <ul style="list-style-type: none"> <li>1 - REACH.</li> <li>2 - 2.1. Classification of the substance or mixture.</li> <li>2 - 2.1.2. Classification - EC 1272/2008.</li> <li>2 - Hazard pictograms.</li> <li>2 - Signal Word.</li> <li>2 - Precautionary Statement: Prevention.</li> <li>2 - Precautionary Statement: Response.</li> <li>2 - Precautionary Statement: Storage.</li> <li>2 - Precautionary Statement: Disposal.</li> <li>4 - Inhalation.</li> <li>6 - 6.1. Personal precautions, protective equipment and emergency procedures.</li> <li>7 - 7.1. Precautions for safe handling.</li> <li>8 - 8.2.1. Appropriate engineering controls.</li> <li>8 - Respiratory protection.</li> <li>8 - 8.2.2. Individual protection measures.</li> <li>8 - DNEL: Derived no-effect level.</li> <li>9 - 9.1. Information on basic physical and chemical properties (Appearance).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Colour).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Odour).</li> <li>11 - Skin corrosion/irritation.</li> <li>12 - 12.1. Toxicity.</li> <li>12 - 12.2. Persistence and degradability.</li> <li>12 - 12.3. Bioaccumulative potential.</li> <li>15 - Labelling.</li> <li>15 - Risk phrases.</li> <li>15 - Safety phrases.</li> <li>15 - 15.2. Chemical safety assessment.</li> </ul>
<b>Text of risk phrases in Section 3</b>	<ul style="list-style-type: none"> <li>R22 - Harmful if swallowed.</li> <li>R34 - Causes burns.</li> <li>R35 - Causes severe burns.</li> <li>R36 - Irritating to eyes.</li> <li>R40 - Limited evidence of a carcinogenic effect.</li> <li>R41 - Risk of serious damage to eyes.</li> <li>R50 - Very toxic to aquatic organisms.</li> <li>R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>
<b>Text of Hazard Statements in Section 3</b>	<ul style="list-style-type: none"> <li>Acute Tox. 4: H302 - Harmful if swallowed.</li> <li>Eye Irrit. 2: H319 - Causes serious eye irritation.</li> <li>Carc. 2: H351 - Suspected of causing cancer .</li> <li>Eye Dam. 1: H318 - Causes serious eye damage.</li> <li>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</li> <li>Met. Corr. 1: H290 - May be corrosive to metals.</li> <li>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</li> <li>STOT SE 3: H335 - May cause respiratory irritation.</li> <li>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</li> </ul>

**Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information

## EP 07111

Revision 1

Revision date 2015-11-16

---

**Further information**

---

	relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	---

---