

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

## **EP 09115 CHERRY REODOUR CONC**

Revision 1
Revision date 2015-07-17

SECTION 1: Identification of the substance/mixture and of	f the company/undertaking
---	---------------------------

#### 1.1. Product identifier

Product name	EP 09115 CHERRY REODOUR CONC
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

#### 1.3. Details of the supplier of the safety data sheet

Company	l	Assured Solutions	Ltd
---------	---	-------------------	-----

Address Unit F

Westminster Industrial Estate

Measham Derbyshire DE12 7DS

Web www.chemicalsuppliers.uk.com

 Telephone
 +44 (0)1530 272922

 Fax
 +44 (0)1530 272921

Email sales@assuredsolutionsltd.co.uk sales@assuredsolutionsltd.co.uk competent person

## 1.4. Emergency telephone number

Emergency telephone number | 015

Company

01530 272 922

ASSURED SOLUTIONS LTD

24hrs

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

2.1.1. Classification -	Xi; R36
1999/45/EC	Symbols: Xi: Irritant.
Main hazards	Irritating to eyes.
2.1.2. Classification - EC	Eye Dam. 1: H318;

## 2.2. Label elements

1272/2008

## Hazard pictograms



Signal Word

Dange

Precautionary Statement: Prevention

 ${\hbox{P280 - Wear protective gloves/protective clothing/eye protection.}}$ 

Precautionary Statement: Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Revision 1
Revision date 2015-07-17

#### 2.2. Label elements

	P337+P313 - If eye irritation persists: Get medical advice/attention.		
Precautionary Statement: Disposal	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES		

#### 2.3. Other hazards

Other herords	CDILLACE MAY CDEATE CLID HAZADD
Other hazards	I SPILLAGE MAY CREATE SLIP HAZARD.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification M-factor.
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	6 F; R11 Xi; R36 R67
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	6 Xn; R22 Xi; R41
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9		1 - 10%	% Xn; R20/22
L LIMONENE		5989-27-5			0 - 0.5%	¼ Xi; R38-43 N; R50/53 R10

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
PERFUME					1 - 10%		
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9		1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H302;	
L LIMONENE		5989-27-5			0 - 0.5%	·	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the
	eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove
	contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention
	if irritation or symptoms persist.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.



Revision Revision date 2015-07-17

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

#### DNEL: Derived no-effect level.

No data is available on this product.

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Not normally required.

## 8.2.2. Individual protection

No safety clothing required.

measures

In case of splashing, wear:. Approved safety goggles.

Skin protection -Handprotection

Eye / face protection

Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Clear Odour Pleasant рН 7.0 NOMINAL Initial boiling point 100

Relative density 1.000 NOMINAL

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## **SECTION 11: Toxicological information**



Revision 1
Revision date 2015-07-17

#### 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to eyes. No irritation expected. Seek medical attention if irritation or symptoms
	persist.

## SECTION 12: Ecological information

#### 12.1. Toxicity

No data is available on this product.

#### 12.2. Persistence and degradability

Readily biodegradable. DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE

## SECTION 13: Disposal considerations

#### General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

#### Further information

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

#### 15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

#### SECTION 16: Other information

#### Other information

## Revision

This document differs from the previous version in the following areas:.

- 1 REACH.
- 2 2.1. Classification of the substance or mixture.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Signal Word.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Disposal.
- 8 8.2.1. Appropriate engineering controls.
- 8 8.2.2. Individual protection measures.
- 8 DNEL: Derived no-effect level.
- 9 9.1. Information on basic physical and chemical properties (Appearance).
- 9 9.1. Information on basic physical and chemical properties (Colour).
- 9 9.1. Information on basic physical and chemical properties (Odour).
- 12 12.1. Toxicity.
- 15 Labelling.
- 15 Risk phrases.
- 15 15.2. Chemical safety assessment.

# Text of risk phrases in Section 3

- R10 Flammable
- R11 Highly flammable.
- R20/22 Harmful by inhalation and if swallowed.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



Revision 1
Revision date 2015-07-17

Other information	
	R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Eye Dam. 1: H318 - Causes serious eye damage.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

