



...advanced chemical solutions for industry...

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## INTERSAFE (11148)

Revision 1

Revision date 2015-12-14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	INTERSAFE (11148)
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

#### 1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

#### 1.4. Emergency telephone number


Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R36 Symbols: Xi: Irritant.
Main hazards	Irritating to eyes.
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Irrit. 2: H319;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Precautionary Statement: Prevention	P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

# INTERSAFE (11148)

Revision 1  
Revision date 2015-12-14

## 2.2. Label elements

<b>Precautionary Statement: Disposal</b>	lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Xi; R36	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1 - 10%	Xn; R20/21/22 C; R34	
SODIUM XYLENE SULPHONATE		1300-72-7			1 - 10%	Xi; R36/37/38	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	0.5 - 1%	Xn; R20/21/22 Xi; R36/38	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0.5 - 1%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
LAURYL BETAINE		66455-29-6	266-368-1		0.5 - 1%		
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314;	
SODIUM XYLENE SULPHONATE		1300-72-7			1 - 10%	Eye Irrit. 2: H319;	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	0.5 - 1%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H332;	
POTASSIUM SALT OF ARYL ETHER PHOSPHATE ESTER PERFUME		72283-31-9			0.5 - 1%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	
DYE					0 - 0.5%		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	No irritation expected.
<b>Eye contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

# INTERSAFE (11148)

Revision 1  
Revision date 2015-12-14

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

# INTERSAFE (11148)

Revision 1  
Revision date 2015-12-14

## 8.1.1. Exposure Limit Values

2 BUTOXY ETHANOL (2-Butoxyethanol)	WEL 8-hr limit ppm: 25  WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Ethanolamine (2-Aminoethanol)	WEL 8-hr limit ppm: 1  WEL 15 min limit ppm: 3 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 2.5  WEL 15 min limit mg/m3: 7.6 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400  WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 999  WEL 15 min limit mg/m3: 1250 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -  WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: -  WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

No data is available on this product.

## Exposure Pattern - Workers

2 BUTOXY ETHANOL	Acute inhalation - Systemic effects 663 mg/m <sup>3</sup> Acute inhalation - Local effects 246 mg/m <sup>3</sup> Long-term - dermal - Systemic effects 75 mg/kg	Acute dermal - Systemic effects 89 mg/kg
------------------	---	--

## Exposure Pattern - General population

2 BUTOXY ETHANOL	Acute inhalation - Systemic effects 426 mg/m <sup>3</sup> Acute dermal - Systemic effects 44.5 mg/kg Long-term - inhalation - Local effects 123 mg/kg Long-term - oral - Systemic effects 3.2 mg/kg	Acute oral - Systemic effects 13.4 mg/kg Long-term - dermal - Systemic effects 38 mg/kg
------------------	--	--

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

## SECTION 9: Physical and chemical properties

# INTERSAFE (11148)

Revision 1

Revision date 2015-12-14

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Mild
pH	10 - 12
Relative density	1.03 - 1.06
Solubility	Soluble in water

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Skin corrosion/irritation	Irritating to eyes. May cause irritation to skin.
---------------------------	---

## SECTION 12: Ecological information

### 12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not biodegradable however those present in this formulation/product are either of no known significant environmental hazard or are readily neutralised to form inert salts. More than 90% biodegradable.
--	--

### 12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

## SECTION 13: Disposal considerations

### General information

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

### Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

### 15.2. Chemical safety assessment

	No chemical Safety assessment has been carried out by the supplier.
--	---

## SECTION 16: Other information

### Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>1 - REACH.</li> <li>2 - 2.1.2. Classification - EC 1272/2008.</li> <li>2 - Hazard pictograms.</li> <li>2 - Signal Word.</li> <li>2 - Precautionary Statement: Prevention.</li> <li>2 - Precautionary Statement: Response.</li> <li>2 - Precautionary Statement: Disposal.</li> <li>6 - 6.1. Personal precautions, protective equipment and emergency procedures.</li> <li>8 - 8.2.2. Individual protection measures.</li> <li>8 - DNEL: Derived no-effect level.</li> <li>12 - 12.1. Toxicity.</li> <li>15 - 15.2. Chemical safety assessment.</li> </ul>
----------	--

# INTERSAFE (11148)

Revision 1

Revision date 2015-12-14

## Other information

<b>Text of risk phrases in Section 3</b>	<p>R11 - Highly flammable.</p> <p>R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.</p> <p>R34 - Causes burns.</p> <p>R35 - Causes severe burns.</p> <p>R36/37/38 - Irritating to eyes, respiratory system and skin.</p> <p>R36/38 - Irritating to eyes and skin.</p> <p>R36 - Irritating to eyes.</p> <p>R67 - Vapours may cause drowsiness and dizziness.</p>
<b>Text of Hazard Statements in Section 3</b>	<p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Carc. 2: H351 - Suspected of causing cancer .</p> <p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness.</p> <p>Acute Tox. 4: H312 - Harmful in contact with skin.</p> <p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>Acute Tox. 4: H332 - Harmful if inhaled.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</p>

## Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---