



...advanced chemical  
solutions for industry...

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

## EP 13083 BIN WASH 2000

Revision 1  
Revision date 2016-01-04

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	EP 13083 BIN WASH 2000
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

#### 1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

#### 1.4. Emergency telephone number

Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R36 Symbols: Xi: Irritant.
Main hazards	Irritating to eyes.
2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## EP 13083 BIN WASH 2000

Revision 1  
Revision date 2016-01-04

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
BENZYLAMMONIUM CHLORIDE		68391-05-5	269-919-4		1 - 10%	C; R34 Xn; R22 N; R50	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Xn; R22 Xi; R41	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0 - 0.5%	F; R11 Xi; R36 R67	
CELLULOSE		9004-34-6			0 - 0.5%		

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
HYDROXYETHYL CELLULOSE		9004-62-0			0 - 0.5%		
WATER					80 - 90%		
BENZYLAMMONIUM CHLORIDE		68391-05-5	269-919-4		1 - 10%		
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
SODIUM ACETATE		127-09-3			0 - 0.5%		
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0 - 0.5%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
CELLULOSE		9004-34-6			0 - 0.5%		
PERFUME					0.5 - 1%		
Glyoxal...%	605-016-00-7	107-22-2	203-474-9		0 - 0.5%	Muta. 2: H341; Acute Tox. 4: H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317;	
ANTI FOAM					0 - 0.5%		
DYE					0 - 0.5%		

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	No Significant Hazard.
<b>Eye contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Carbon dioxide (CO2).
--	-----------------------

## 5.2. Special hazards arising from the substance or mixture

## EP 13083 BIN WASH 2000

Revision 1  
Revision date 2016-01-04

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

**SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

**SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

CELLULOSE	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10 inhalable dust:	WEL 15 min limit mg/m3 total 20 inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
CELLULOSE (Cellulose (pure) respirable)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 4
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

## DNEL: Derived no-effect level.

No data is available on this product.

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Not normally required.

## EP 13083 BIN WASH 2000

Revision 1  
Revision date 2016-01-04

## 8.2. Exposure controls

8.2.2. Individual protection measures	Approved safety goggles. Wear suitable protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Perfumes
pH	7 - 9
Relative density	1.01 - 1.04
Solubility	Soluble in water

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin corrosion/irritation Irritating to eyes. May cause irritation to skin.

## SECTION 12: Ecological information

## 12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not biodegradable however those present in this formulation/product are either of no known significant environmental hazard or are readily neutralised to form inert salts. More than 90% biodegradable.

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## EP 13083 BIN WASH 2000

Revision 1

Revision date 2016-01-04

**14.6. Special precautions for user**

The product is not classified as dangerous for carriage.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

The product is not classified as dangerous for carriage.

**Further information**

The product is not classified as dangerous for carriage.

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

No chemical Safety assessment has been carried out by the supplier.

**SECTION 16: Other information****Other information**

<b>Revision</b>	This document differs from the previous version in the following areas: 1 - REACH. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Disposal. 8 - 8.2.1. Appropriate engineering controls. 8 - 8.2.2. Individual protection measures. 8 - DNEL: Derived no-effect level. 12 - 12.1. Toxicity. 15 - 15.2. Chemical safety assessment.
<b>Text of risk phrases in Section 3</b>	R11 - Highly flammable. R22 - Harmful if swallowed. R34 - Causes burns. R36 - Irritating to eyes. R41 - Risk of serious damage to eyes. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.
<b>Text of Hazard Statements in Section 3</b>	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 4: H332 - Harmful if inhaled. Muta. 2: H341 - Suspected of causing genetic defects .

**Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.