

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

# EP 14160 CARPET SPOT TREATMENT (FLOWERSHOP)

Revision Revision date 2016-04-05

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name	EP 14160 CARPET SPOT TREATMENT (FLOWERSHOP)			
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.			
1.3. Details of the supplier of the	safety data sheet			
Company	Assured Solutions Ltd			
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS			
Web	www.chemicalsuppliers.uk.com			
Telephone	+44 (0)1530 272922			
Fax	+44 (0)1530 272921			
Email	sales@assuredsolutionsltd.co.uk			
Email address of the competent person	sales@assuredsolutionsltd.co.uk			
1.4. Emergency telephone numb	per			
Emergency telephone number	01530 272 922			

-	Emergency telephone number	01530 272 922
	Company	ASSURED SOLUTIONS LTD
		24hra

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Main hazards	No Significant Hazard			
2.2. Label elements				
Precautionary Statement: Prevention	P102 - Keep out of reach of children.			
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.			
Risk phrases	No Significant Hazard			
2.3. Other hazards				
Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.			

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Revision

Revision date 2016-04-05

### 3.2. Mixtures

### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					90 - 100%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0 - 0.5%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	0 - 0.5%	Xn; R20/21/22 Xi; R36/38	
POTASSIUM SALT OF ARYL ETHER PHOSPHATE ESTER		72283-31-9			0 - 0.5%	Xi; R36/38	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	0 - 0.5%	Xn; R20/21/22 C; R34	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0 - 0.5%	Xi; R36	
PROPYLENE GLYCOL (Propane-1,2-diol total vapour and		57-55-6	200-338-0	01-2119456809-23	0 - 0.5%		
particulates) BLOCK COPOLYMER OF PROPYLENE AND ETHYLENE OXIDES		69227-21-0			0 - 0.5%		
CITRIC ACID		5949-29-1	201-069-1		0 - 0.5%	Xi; R36	
PERFUME					0 - 0.5%		
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					90 - 100%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0 - 0.5%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	0 - 0.5%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H332;	
POTASSIUM SALT OF ARYL ETHER PHOSPHATE ESTER		72283-31-9			0 - 0.5%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	0 - 0.5%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314;	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0 - 0.5%	Eye Irrit. 2: H319;	
PROPYLENE GLYCOL (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0	01-2119456809-23	0 - 0.5%		
BLOCK COPOLYMER OF PROPYLENE AND ETHYLENE OXIDES		69227-21-0			0 - 0.5%		
CITRIC ACID		5949-29-1	201-069-1		0 - 0.5%	Eye Irrit. 2: H319;	
PERFUME					0 - 0.5%		
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	No Significant Hazard.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the
	eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	No irritation expected. No Significant Hazard.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention
	if irritation or symptoms persist.

Revision 1
Revision date 2016-04-05

5.1. Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions. 5.2. Special hazards arising from the substance or mixture Burning produces irritating, toxic and obnoxious fumes. 5.3. Advice for firefighters Wear suitable respiratory equipment when necessary SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Adopt best Manual Handling considerations when handling, carrying and dispensing. 6.2. Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers SECTION 8: Exposure controls/personal protection 8.1. Control parameters



8.1.1. Exposure Limit Values

Revision Revision date 2016-04-05

8.1.1. Exposure Limit Values

2 BUTOXY ETHANOL	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
(2-Butoxyethanol)	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Ethanolamine (2-Aminoethanol)	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 7.6
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
PROPYLENE GLYCOL (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
, , , , ,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total  - respirable dust:	inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
PROPYLENE GLYCOL (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
and paracolation,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

No data is available on this product.

### 8.2. Exposure controls

Skin protection -

Handprotection

8.2.1. Appropriate engineering
controls
8.2.2. Individual protection
measures
Eye / face protection

Not normally required.

No safety clothing required.

In case of splashing, wear:. Approved safety goggles.

Chemical resistant gloves (PVC).

Not normally required. Respiratory protection

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Liquid **Colour** Clear Odour Perfumes **pH** 8 - 10

1 - 1.02 Relative density

Solubility | Soluble in water

Revision

CECTION 40: Ctability and	Revision date 2016-04-05
SECTION 10: Stability and r	eactivity
10.2. Chemical stability	
	Stable under normal conditions.
SECTION 11: Toxicological	information
11.1. Information on toxicologic	al effects
Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to eyes.
11.1.4. Toxicological Informatio	n
POTASSIUM SALT OF ARYL ETHER PHOSPHATE ESTER	Oral Rat LD50: >2000mg/Kg
SECTION 12: Ecological inf	ormation
12.1. Toxicity	
CITRIC ACID	Fish LC50/96h: 500.000 mg/l
	No data is available on this product.
12.2. Persistence and degradat	1
	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are
	inherently not boidegradable however those present in this formulation/product are either of no known significant environmetal hazard or are readilly neutralised to form inert salts. More than 90% biodegradable.
12.3. Bioaccumulative potential	
	Does not bioaccumulate.
SECTION 13: Disposal cons	siderations
General information	
	Dispose of in compliance with all local and national regulations.
SECTION 14: Transport info	ormation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es	)
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	er
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
Further information	
	The product is not elegatified as dengarous for corrigge

The product is not classified as dangerous for carriage.

Revision

Revision date 2016-04-05

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

### **SECTION 16: Other information**

#### Other information

	Lance to the second control of the second co			
Revision	This document differs from the previous version in the following areas:.			
	1 - REACH.			
	2 - Precautionary Statement: Prevention.			
	2 - Precautionary Statement: Response.			
	8 - DNEL: Derived no-effect level.			
	12 - 12.1. Toxicity.			
	15 - 15.2. Chemical safety assessment.			
	15 - Regulations.			
Text of risk phrases in Section	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.			
3	R22 - Harmful if swallowed.			
	R34 - Causes burns.			
	R35 - Causes severe burns.			
	R36/38 - Irritating to eyes and skin.			
	R36 - Irritating to eyes.			
	R40 - Limited evidence of a carcinogenic effect.			
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.			
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.			
	Carc. 2: H351 - Suspected of causing cancer .			
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled			
	Skin Irrit. 2: H315 - Causes skin irritation.			
	Acute Tox. 4: H312 - Harmful in contact with skin.			
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.			
	Acute Tox. 4: H332 - Harmful if inhaled.			
	STOT SE 3: H335 - May cause respiratory irritation.			
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.			

### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.