



...advanced chemical solutions for industry...

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

EP 15142 POWERWASH

Revision 1
Revision date 2016-04-05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	EP 15142 POWERWASH
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

1.4. Emergency telephone number


Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318;
--------------------------------------	-------------------

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

EP 15142 POWERWASH

Revision 1

Revision date 2016-04-05

2.2. Label elements

Precautionary Statement: Disposal	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES
--	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					90 - 100%		
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Xi; R38-41 N; R51/53	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Xn; R22-48/22 Xi; R38-41	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Xn; R22 Xi; R41	
QUATERNARY FATTY AMINE ETHOXYLATE PERFUME		68989-03-7			0 - 0.5%	Xi; R41 N; R51/53	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	
DYE					0 - 0.5%		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					90 - 100%		
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Acute Tox. 4: H302; STOT RE 2: H373; Skin Irrit. 2: H315; Eye Dam. 1: H318;	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
QUATERNARY FATTY AMINE ETHOXYLATE PERFUME		68989-03-7			0 - 0.5%	Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317;	
DYE					0 - 0.5%		

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No irritation expected. No Significant Hazard.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

EP 15142 POWERWASH

Revision 1

Revision date 2016-04-05

SECTION 5: Firefighting measures**5.1. Extinguishing media**Carbon dioxide (CO₂).**5.2. Special hazards arising from the substance or mixture**

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear suitable protective equipment. Adopt best Manual Handling considerations when handling, carrying and dispensing.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.1.1. Exposure Limit Values**

Formaldehyde...% (Formaldehyde)	WEL 8-hr limit ppm: 2	WEL 8-hr limit mg/m ³ : 2.5
	WEL 15 min limit ppm: 2	WEL 15 min limit mg/m ³ : 2.5
	WEL 8-hr limit mg/m ³ total - inhalable dust:	WEL 15 min limit mg/m ³ total - inhalable dust:
	WEL 8-hr limit mg/m ³ total - respirable dust:	WEL 15 min limit mg/m ³ total - respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : 2
	WEL 8-hr limit mg/m ³ total - inhalable dust:	WEL 15 min limit mg/m ³ total - inhalable dust:
	WEL 8-hr limit mg/m ³ total - respirable dust:	WEL 15 min limit mg/m ³ total - respirable dust:

DNEL: Derived no-effect level.

No data is available on this product.

8.2. Exposure controls**8.2.1. Appropriate engineering controls**

Not normally required.

EP 15142 POWERWASH

Revision 1
Revision date 2016-04-05

8.2. Exposure controls

8.2.2. Individual protection measures	Not normally required.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aqueous solution
Colour	Various
Odour	Pleasant
pH	10 - 12
Relative density	1.02 - 1.06
Solubility	Soluble in water

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	H318 - Causes serious eye damage.
---------------------------	-----------------------------------

11.1.4. Toxicological Information

QUATERNARY FATTY AMINE ETHOXYLATE	Oral Rat LD50: <2000mg/kg
-----------------------------------	---------------------------

SECTION 12: Ecological information

12.1. Toxicity

QUATERNARY FATTY AMINE ETHOXYLATE	Fathead minnows LC50/96h: 1-10mg/l
-----------------------------------	------------------------------------

12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not biodegradable however those present in this formulation/product are either of no known significant environmental hazard or are readily neutralised to form inert salts. More than 90% biodegradable.
--	--

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

EP 15142 POWERWASH

Revision 1

Revision date 2016-04-05

14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.
Further information	
	The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessment	
	No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Response. 4 - Inhalation. 15 - Regulations.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36 - Irritating to eyes. R38 - Irritating to skin. R40 - Limited evidence of a carcinogenic effect. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of Hazard Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed.

EP 15142 POWERWASH

Revision 1

Revision date 2016-04-05

Other information

Eye Irrit. 2: H319 - Causes serious eye irritation.
Carc. 2: H351 - Suspected of causing cancer .
STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.