



...advanced chemical solutions for industry...

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

## EP 15191 PET CARPET SHAMPOO

Revision 0

Revision date 2015-11-11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	EP 15191 PET CARPET SHAMPOO
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

#### 1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

#### 1.4. Emergency telephone number

Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
--------------------------------------	---

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## EP 15191 PET CARPET SHAMPOO

Revision 0

Revision date 2015-11-11

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
Benzyl C12-16 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	1 - 10%	C; R34 Xn; R21/22 N; R50	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					80 - 90%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0.5 - 1%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H332;	
Benzyl C12-16 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0.5 - 1%	Eye Irrit. 2: H319;	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	0.5 - 1%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314;	
PROPYLENE GLYCOL (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0	01-2119456809-23	0.5 - 1%		
BLOCK COPOLYMER OF PROPYLENE AND ETHYLENE OXIDES		69227-21-0			0.5 - 1%		
CITRIC ACID		5949-29-1	201-069-1		0 - 0.5%	Eye Irrit. 2: H319;	
PERFUME					0 - 0.5%		
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## SECTION 5: Firefighting measures

## EP 15191 PET CARPET SHAMPOO

Revision 0  
Revision date 2015-11-11

## 5.1. Extinguishing media

Carbon dioxide (CO2).

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

2 BUTOXY ETHANOL (2-Butoxyethanol)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

## DNEL: Derived no-effect level.

No data is available on this product.

## Exposure Pattern - Workers

2 BUTOXY ETHANOL	Acute inhalation - Systemic effects	663 mg/m <sup>3</sup>	Acute dermal - Systemic effects	89 mg/kg
	Acute inhalation - Local effects	246 mg/m <sup>3</sup>		
	Long-term - dermal - Systemic effects	75 mg/kg		

## Exposure Pattern - General population

## EP 15191 PET CARPET SHAMPOO

Revision 0

Revision date 2015-11-11

## Exposure Pattern - General population

2 BUTOXY ETHANOL	Acute inhalation - Systemic effects	426 mg/m <sup>3</sup>	
	Acute dermal - Systemic effects	44.5 mg/kg	Acute oral - Systemic effects
	Long-term - inhalation - Local effects	123 mg/kg	Long-term - dermal - Systemic effects
	Long-term - oral - Systemic effects	3.2 mg/kg	

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	No safety clothing required.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Aqueous solution
Colour	Various
Odour	Perfumes
pH	10
Relative density	1.01 - 1.05
Solubility	Soluble in water

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin corrosion/irritation	Irritating to eyes and skin.
---------------------------	------------------------------

## 11.1.4. Toxicological Information

Benzyl C12-16 Alkyldimethyl, Chlorides	Oral Rat LD50: 200-2000mg/kg
--	------------------------------

## SECTION 12: Ecological information

## 12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not biodegradable however those present in this formulation/product are either of no known significant environmental hazard or are readily neutralised to form inert salts. More than 90% biodegradable.
--	--

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## EP 15191 PET CARPET SHAMPOO

Revision 0

Revision date 2015-11-11

**SECTION 14: Transport information****14.1. UN number**

The product is not classified as dangerous for carriage.

**14.2. UN proper shipping name**

The product is not classified as dangerous for carriage.

**14.3. Transport hazard class(es)**

The product is not classified as dangerous for carriage.

**14.4. Packing group**

The product is not classified as dangerous for carriage.

**14.5. Environmental hazards**

The product is not classified as dangerous for carriage.

**14.6. Special precautions for user**

The product is not classified as dangerous for carriage.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

The product is not classified as dangerous for carriage.

**Further information**

The product is not classified as dangerous for carriage.

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

No chemical Safety assessment has been carried out by the supplier.

**SECTION 16: Other information****Other information****Text of risk phrases in Section 3**

R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.  
 R21/22 - Harmful in contact with skin and if swallowed.  
 R34 - Causes burns.  
 R36/38 - Irritating to eyes and skin.  
 R50 - Very toxic to aquatic organisms.

**Text of Hazard Statements in Section 3**

Acute Tox. 4: H302 - Harmful if swallowed.  
 Eye Irrit. 2: H319 - Causes serious eye irritation.  
 Carc. 2: H351 - Suspected of causing cancer .  
 Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled  
 Skin Irrit. 2: H315 - Causes skin irritation.  
 Acute Tox. 4: H312 - Harmful in contact with skin.  
 Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
 Acute Tox. 4: H332 - Harmful if inhaled.  
 Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

**Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.