

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

# **ULTRA WASH 2 (EP 16178)**

Revision 0 **Revision date** 2016-09-15

SECTION 1:	Identification	of the substance/	mixture and of t	he company/undertaking

## 1.1. Product identifier

Product name	ULTRA WASH 2 (EP 16178)
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Description** cleaning solution.

## 1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
---------	-----------------------

Address Unit H

Westminster Industrial Estate

Measham Derbyshire **DE127DS** 

Web www.chemicalsuppliers.uk.com

**Telephone** +44 (0)1530 272922 Fax +44 (0)1530 272921

**Email** sales@assuredsolutionsltd.co.uk Email address of the sales@assuredsolutionsltd.co.uk competent person

## 1.4. Emergency telephone number

Emergency telephone number 01530 272 922

ASSURED SOLUTIONS LTD Company

24hrs

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1. Classification -Xi; R36 1999/45/EC Symbols: Xi: Irritant.

Main hazards Irritating to eyes.

2.1.2. Classification - EC

1272/2008

Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;

#### 2.2. Label elements

# Hazard pictograms



Signal Word **Hazard Statement** 

Danger

Skin Irrit. 2: H315 - Causes skin irritation.



Revision 0 Revision date 2016-09-15

# 2.2. Label elements

	Eye Dam. 1: H318 - Causes serious eye damage.			
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.			
Precautionary Statement:	P264 - Wash hands thoroughly after handling.			
Prevention	P273 - Avoid release to the environment.			
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.			
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .			
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
	P332+P313 - If skin irritation occurs: Get medical advice/attention.			
	P337+P313 - If eye irritation persists: Get medical advice/attention.			
Precautionary Statement:	P501 - Dispose of contents/container to requirements of local authorities			
Disposal				

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

# 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Ethylene glycol monobutyl ether	603-014-00-0	111-76-2	203-905-0		0 - 0.5%	Xn; R20/21/22 Xi; R36/38	
(2-Butoxyethanol)							
2 BUTOXY ETHANOL		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
(2-Butoxyethanol)							
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Xi; R38-41 N; R51/53	
DDIOLIECT ADDA CO		0000 04 4		04 0440540004 50	4 400/	O: D24	
BRIQUEST ADPA 60		2809-21-4		01-2119510391-53	1 - 10%	C; R34	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Xn: R22 Xi: R41	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		00.00 .00				741, 1422 741, 1411	
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	0.5 - 1%	Xn; R20/21/22 C; R34	
Benzyl C12-18 Alkyldimethyl,		68424-85-1	270-325-2	01-2119970550-39	0 - 0.5%	C; R34 Xn; R21/22 N; R50	
Chlorides							
Mono ethylene glycol	603-027-00-1	107-21-1	203-473-3		0 - 0.5%	Xn; R22	
(Ethane-1,2-diol particulate)							

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
2 BUTOXY ETHANOL		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H302; Acute	
(2-Butoxyethanol)						Tox. 4: H312; Skin Irrit. 2:	
						H315; Eye Irrit. 2: H319; Acute Tox. 4: H332:	
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Skin Irrit. 2: H315; Eye Dam.	
SOCOTION BIETTWWW.		0001 00 1			1 1070	1: H318; Aquatic Chronic 2:	
						H411;	
BRIQUEST ADPA 60		2809-21-4		01-2119510391-53	1 - 10%	Met. Corr. 1: H290; Eye Dam. 1: H318;	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye	
						Dam. 1: H318;	
Benzyl C12-18 Alkyldimethyl,		68424-85-1	270-325-2	01-2119970550-39	0 - 0.5%	Acute Tox. 4: H302; Acute	
Chlorides						Tox. 4: H312; Skin Corr. 1A:	
						H314; Aquatic Acute 1: H400;	

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

Revision 0 Revision date 2016-09-15

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Carbon dioxide (CO2).
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Adopt best Manual Handling considerations when handling, carrying and dispensing.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	ng
	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
·	
8.1.1. Exposure Limit Values	
-	

Revision 0 Revision date 2016-09-15

# 8.1.1. Exposure Limit Values

Ethanolamine (2-Aminoethanol)	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 7.6
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust: WEL 8-hr limit mg/m3: 123
Ethylene glycol monobutyl ether (2-Butoxyethanol)	, , , , , , , , , , , , , , , , , , , ,	
	WEL 15 min limit ppm: 50	<b>WEL 15 min limit mg/m3:</b> 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Mono ethylene glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Ethane-1,2-diol particulate)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Mono ethylene glycol	WEL 8-hr limit ppm: 20	WEL 8-hr limit mg/m3: 52
(Ethane-1,2-diol vapour)	NATEL AE value liquita variante do	MEL 45 mile Park marks 0 404
	WEL 15 min limit ppm: 40	WEL 15 min limit mg/m3: 104
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

## DNEL: Derived no-effect level.

No data is available on this product.

# 8.2. Exposure controls

8.2.1. Appropriate engineering
controls
8.2.2. Individual protection
measures
Eye / face protection
Skin protection -
Handprotection

Respiratory protection

Not normally required.

Wear suitable protective clothing.

Approved safety goggles.

Chemical resistant gloves (PVC).

Not normally required.

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Aqueous solution
Colour Various
Odour Characteristic
pH 6 - 9

Relative density 1.03 - 1.07

Solubility Soluble in water

# SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

# SECTION 11: Toxicological information

**Revision** 0 **Revision date** 2016-09-15

44.4	. Information	on toxico	Jogical	offooto
11.1	. information	on toxico	nodicai	enects

# 11.1.4. Toxicological Information

Benzyl C12-18 Alkyldimethyl,	Oral Rat LD50: 200-2000mg/kg
Chlorides	

## SECTION 12: Ecological information

## 12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE.

#### 12.3. Bioaccumulative potential

No data is available on this product.

#### SECTION 13: Disposal considerations

#### General information

Dispose of in compliance with all local and national regulations.

#### SECTION 14: Transport information

#### 14.1. UN number

The product is not classified as dangerous for carriage.

#### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

#### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

#### 14.4. Packing group

The product is not classified as dangerous for carriage.

#### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

### 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

#### **Further information**

The product is not classified as dangerous for carriage.

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 0 Revision date 2016-09-15

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

## SECTION 16: Other information

#### Other information

Text of risk phrases in Section 3

R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.

R21/22 - Harmful in contact with skin and if swallowed.

R22 - Harmful if swallowed.

R34 - Causes burns.

R36/38 - Irritating to eyes and skin.

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R50 - Very toxic to aquatic organisms.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Met. Corr. 1: H290 - May be corrosive to metals.

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

**Further information** 

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in

combination with any other materials or in any other process.