



...advanced chemical
solutions for industry...

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

EP 89065 (ULTRA)

Revision 0

Revision date 2012-12-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EP 89065 (ULTRA)

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Main hazards No Significant Hazard

2.3. Other hazards

Other hazards SPILLAGE MAY CREATE SLIP HAZARD.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EP 89065 (ULTRA)

Revision 0

Revision date 2012-12-18

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
WATER						
2-Phenoxyethanol	603-098-00-9	122-99-6	204-589-7			Xn; R22 Xi; R36
MONOETHANOLAMINE LAURYL SULPHATE		4722-98-9				
PROPYL 4-HYDROXYBENZOATE		94-13-3				
COCONUT DIETHANOLMINE		8051-30-7	232483-0			
METHOX 4-HYDROXYBENZOATE		99-76-3				
SODIUM LAURETH ETHER SULPHATE						
2-Bromo-2-nitropropane-1,3-diol	603-085-00-8	52-51-7	200-143-0			Xn; R21/22 Xi; R37/38-41 N; R50
DISTILLED TALL OIL		8002-26-4	232-304-6			
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7			Xi; R36
PEG 75/50 LANOLIN		61790-81-6				
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7			F; R11 Xi; R36 R67
Ethanolamine (2-Aminoethanol)	603-030-00-8	141-43-5	205-483-3			Xn; R20/21/22 C; R34
PERFUME						

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No Significant Hazard.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	No irritation expected. No Significant Hazard.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage

EP 89065 (ULTRA)

Revision 0

Revision date 2012-12-18

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethanolamine (2-Aminoethanol)	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 7.6
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Viscous liquid.
Colour	Red
Odour	Pleasant
pH	7 - 9
Relative density	1.02 - 1.04
Solubility	Soluble in water

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to eyes.

SECTION 12: Ecological information

12.1. Toxicity

	No data is available on this product.
--	---------------------------------------

12.2. Persistence and degradability

	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. More than 90% biodegradable.
--	---

12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

EP 89065 (ULTRA)

Revision 0

Revision date 2012-12-18

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

ADR/RID

The product is not classified as dangerous for carriage.

IMDG

The product is not classified as dangerous for carriage.

IATA

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

Labelling

Risk phrases

No Significant Hazard.

Safety phrases

S1/2 - Keep locked up and out of the reach of children.

S25 - Avoid contact with eyes.

SECTION 16: Other information

Other information

Text of risk phrases in Section 3

R11 - Highly flammable.
 R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.
 R21/22 - Harmful in contact with skin and if swallowed.
 R22 - Harmful if swallowed.
 R34 - Causes burns.
 R36/38 - Irritating to eyes and skin.
 R36 - Irritating to eyes.
 R37/38 - Irritating to respiratory system and skin.
 R38 - Irritating to skin.
 R41 - Risk of serious damage to eyes.
 R50 - Very toxic to aquatic organisms.
 R67 - Vapours may cause drowsiness and dizziness.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.