

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

EP 97119 AIR FRESH AND SANITIZE

Revision 2
Revision date 2015-11-16

I	SECTION 1: Identific	cation of the substance/m	nixture and of the	company/undertaking
ı				

1.1. Product identifier

Product name	EP 97119 AIR FRESH AND SANITIZE
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions L	_td
---------	---------------------	-----

Address Unit H

Westminster Industrial Estate

Measham Derbyshire DE12 7DS

Web www.chemicalsuppliers.uk.com

Telephone +44 (0)1530 272922 **Fax** +44 (0)1530 272921

Email sales@assuredsolutionsltd.co.uk sales@assuredsolutionsltd.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number | 01530 27

Company

01530 272 922

ASSURED SOLUTIONS LTD

24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2.	Classification - EC	
1272/	2000	

Eye Irrit. 2: H319;

1272/2008

2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary Statement:

P264 - Wash hands thoroughly after handling.

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Precautionary Statement:

lenses, if present and easy to do. Continue rinsing.

Response

P337+P313 - If eye irritation persists: Get medical advice/attention.

Revision 2
Revision date 2015-11-16

2.2. Label elements

Precautionary Statement: Disposal

P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	6 F; R11 Xi; R36 R67	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
LAURYL BETAINE		66455-29-6	266-368-1		0 - 0.5%		
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
PERFUME					1 - 10%		
ALCOHOL ETHOXYLATE		68439-46-3			0.5 - 1%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
Quaternary ammonium compounds benzyl-C8-18-alkyldimethyl, chlorides	612-140-00-5	63449-41-2	264-151-6		0 - 0.5%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400;	
LINALOOL		78-70-6			0 - 0.5%		
HYDROXYISOHEXYL 3-CYCLOHEXENE		31906-04-4			0 - 0.5%		
ALPHA-ISOMETHYL IONONE		127-51-5			0 - 0.5%		
BUTYLPHENYL METHYLPROPIONAL		106-22-9			0 - 0.5%		
CITRONELLOL		106-22-9			0 - 0.5%		
DYE					0 - 0.5%		

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No irritation expected. No Significant Hazard.	
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
	Seek medical attention if irritation or symptoms persist.	
Skin contact	No Significant Hazard. Wash hands after handling the product.	
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.	
	DO NOT INDUCE VOMITING.	

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Revision 2 Revision date 2015-11-16

Mear suitable protective equipment. Adopt best Manual Handling considerations when handling carrying and dispensing. B.2. Environmental precautions			Nevision date 2013-11	
carrying and dispensing. 6.2. Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 1250 WEL 15 min limit ppm: 500 WEL 15 min limit mg/m3: 1250 WEL 15 min limit mg/m3 total inhabels dust: WEL 8-hr limit mg/m3 total respirable dust: WEL 8-hr limit mg/m3 total respirable dust: WEL 15 min limit mg/m3 total respirable dust: No data is available on this product. 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Expe / face protection Approved safety goggles. Chemical resistant gloves (PVC).	6.1. Personal precautions, prote	ctive equipment and emergency procedures		
Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 1250 WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: No data is available on this product. 8.2. Exposure controls 8.2. 1. Appropriate engineering controls 8.2. 2. Individual protection Base of the product of the protection controls 8.2. 2. Individual protection Base of the product of the protection controls Chemical resistant gloves (PVC).			best Manual Handling considerations when handling,	
Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 3.1.1. Exposure Limit Values Isopropanol (Propan-2-of) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 1250 WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - wEL 15 min limit mg/m3 total - respirable dust: No data is available on this product. 3.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Approved safety goggles. Chemical resistant gloves (PVC).	6.2. Environmental precautions			
Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1. Control parameters SECTION 8: Exposure Limit Values Sepropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Approved safety goggles. Chemical resistant gloves (PVC).		Do not allow product to enter drains. Preve	nt further spillage if safe.	
disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1. Control parameters SECTION 8: Exposure Limit Values Sepropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 1250 WEL 8-hr limit ppm: 500 WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - well 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - respirable dust: No data is available on this product. 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skinp protection - Approved safety goggles. Chemical resistant gloves (PVC).	6.3. Methods and material for co	ontainment and cleaning up		
Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1.1. Exposure Limit Values Section 8: Exposure Limit Values Section 8: Exposure controls/personal protection 8.1.1. Exposure Limit Values Section 8: Exposure Limit values Section 9: Well 8-hr limit ppm: 400 Well 8-hr limit mg/m3: 999 Well 15 min limit mg/m3: 1250 Well 8-hr limit mg/m3 total - inhalable dust: Well 8-hr limit mg/m3 total - well 15 min limit mg/m3 total - respirable dust: Well 8-hr limit mg/m3 total - respirable dust: Section 9: Well 8-hr limit ppm: 400 Well 8-hr limit mg/m3: 1250 Well 15 min limit mg/m3: 1250 Well 15 min limit mg/m3: 1250 Well 15 min limit mg/m3 total - well 15 min limit mg/m3 total - respirable dust: Section 9: Well 9: Well 15 min limit mg/m3: 1250 Well 15		l ·		
Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - Inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: DNEL: Derived no-effect level. No data is available on this product. 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Approved safety goggles. Chemical resistant gloves (PVC).	SECTION 7: Handling and s	torage		
carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3 total - Inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - respirable dust: No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Chemical resistant gloves (PVC).	7.1. Precautions for safe handlir	ng		
Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelle containers. SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 15 min limit mg/m3: 1250 WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - respirable dust: DNEL: Derived no-effect level. No data is available on this product. 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Chemical resistant gloves (PVC).		I	st Manual Handling considerations when handling,	
SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Chemical resistant gloves (PVC).	7.2. Conditions for safe storage,	including any incompatibilities		
B.1. Control parameters B.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3 1250 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - well to mg/m3 total - well t		l · · · · · · · · · · · · · · · · · · ·	eep containers tightly closed. Store in correctly labelled	
B.1. Control parameters B.1.1. Exposure Limit Values Isopropanol (Propan-2-ol) WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3 1250 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - well to mg/m3 total - well t	SECTION 8: Exposure contr	ols/personal protection		
WEL 15 min limit ppm: 500 WEL 15 min limit mg/m3: 1250 WEL 8-hr limit mg/m3 total -	8.1.1. Exposure Limit Values			
WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - wEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - wEL 15 min limit mg/m3 total - respirable dust: DNEL: Derived no-effect level. No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Approved safety goggles. Chemical resistant gloves (PVC).	Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999	
inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: WEL 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - respirable dust: Well 15 min limit mg/m3 total - No data is available on this product.		WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250	
WEL 8-hr limit mg/m3 total - respirable dust: DNEL: Derived no-effect level. No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection - Approved safety goggles. Chemical resistant gloves (PVC).				
Post of the control				
No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Handprotection No data is available on this product. Not normally required. No safety clothing required. Approved safety goggles. Chemical resistant gloves (PVC).			-	
No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Handprotection No data is available on this product. Not normally required. No safety clothing required. Approved safety goggles. Chemical resistant gloves (PVC).	DNEL Derived no effect level			
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Handprotection Skin protection Chemical resistant gloves (PVC).	DNEL. Derived 110-ellect level.	No data is quallable on this much sat		
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Handprotection Not normally required. No safety clothing required. Approved safety goggles. Chemical resistant gloves (PVC).	0.0 Evenosum controlo	No data is available on this product.		
8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection Chemical resistant gloves (PVC).	•	L.,		
measures Approved safety goggles. Skin protection - Handprotection Chemical resistant gloves (PVC).		Not normally required.		
Skin protection - Chemical resistant gloves (PVC). Handprotection	·	No safety clothing required.		
Handprotection	Eye / face protection	Approved safety goggles.		
Respiratory protection Not normally required.		Chemical resistant gloves (PVC).		
	Respiratory protection	Not normally required.		
	SECTION 9: Physical and ch	nemical properties		

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Appearance Colour	Clear
Odour	Pleasant
pН	7.0 NOMINAL
Initial boiling point	100
Relative density	.995 NOMIAL

Water solubility

Revision 2
Revision date 2015-11-16

Water solubility

Soluble in water.

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation Irritating to eyes.

SECTION 12: Ecological information

12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not boidegradable however those present in this formulation/product are either of no known significant environmetal hazard or are readilly neutralised to form inert salts. More than 90% biodegradable.

12.3. Bioaccumulative potential

No data is available on this product.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 1 REACH.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Signal Word.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Disposal.
- 4 Skin contact.
- 4 Inhalation.
- 6 6.1. Personal precautions, protective equipment and emergency procedures.
- 7 7.1. Precautions for safe handling.
- 8 8.2.1. Appropriate engineering controls.
- 8 Respiratory protection.
- 8 8.2.2. Individual protection measures.
- 8 DNEL: Derived no-effect level.
- 11 Skin corrosion/irritation.
- 12 12.1. Toxicity.
- 12 12.2. Persistence and degradability.



Revision 2 Revision date 2015-11-16

Other information					
	12 - 12.3. Bioaccumulative potential. 15 - 15.2. Chemical safety assessment.				
Text of risk phrases in Section 3	R11 - Highly flammable. R36 - Irritating to eyes. R67 - Vapours may cause drowsiness and dizziness.				
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.				
Further information					
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.				