



...advanced chemical  
solutions for industry...

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## EP 98022 UPVC SOVENT CLEANER

Revision 2

Revision date 2015-06-22

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	EP 98022 UPVC SOVENT CLEANER
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

#### 1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

#### 1.4. Emergency telephone number


Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	F; R11 Xn; R65 Xi; R36 R66-67 Symbols: F: Highly flammable. Xn: Harmful.
Main hazards	Highly flammable. Irritating to eyes. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
2.1.2. Classification - EC 1272/2008	Flam. Liq. 2: H225; Asp. Tox. 1: H304; Eye Irrit. 2: H319; STOT SE 3: H336;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation.

## EP 98022 UPVC SOVENT CLEANER

Revision 2

Revision date 2015-06-22

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	STOT SE 3: H336 - May cause drowsiness or dizziness. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use suitable media to extinguish.
<b>Precautionary Statement: Storage</b>	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Kerosine - unspecified - distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8	01-2119484819-18	40 - 50%	Xn; R65	
Acetone	606-001-00-8	67-64-1	200-662-2	01-2119471330-49	20 - 30%	F; R11 Xi; R36 R66 R67	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		20 - 30%	F; R11 Xi; R36 R67	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Kerosine - unspecified - distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8	01-2119484819-18	40 - 50%	Asp. Tox. 1: H304;	
Acetone	606-001-00-8	67-64-1	200-662-2	01-2119471330-49	20 - 30%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		20 - 30%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## EP 98022 UPVC SOVENT CLEANER

Revision 2

Revision date 2015-06-22

**SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Carbon dioxide (CO<sub>2</sub>).

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes. Vapour may travel considerable distance to source of ignition and flash back.

## 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

**SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

**SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Acetone	WEL 8-hr limit ppm:	500	WEL 8-hr limit mg/m <sup>3</sup> :	1210
	WEL 15 min limit ppm:	1500	WEL 15 min limit mg/m <sup>3</sup> :	3620
	WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust:	-	WEL 15 min limit mg/m <sup>3</sup> total inhalable dust:	-
	WEL 8-hr limit mg/m <sup>3</sup> total respirable dust:	-	WEL 15 min limit mg/m <sup>3</sup> total respirable dust:	-
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm:	400	WEL 8-hr limit mg/m <sup>3</sup> :	999
	WEL 15 min limit ppm:	500	WEL 15 min limit mg/m <sup>3</sup> :	1250
	WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust:	-	WEL 15 min limit mg/m <sup>3</sup> total inhalable dust:	-
	WEL 8-hr limit mg/m <sup>3</sup> total respirable dust:	-	WEL 15 min limit mg/m <sup>3</sup> total respirable dust:	-

## DNEL: Derived no-effect level.

No data is available on this product.

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

## EP 98022 UPVC SOVENT CLEANER

Revision 2  
Revision date 2015-06-22

## 8.2. Exposure controls

8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear suitable respiratory equipment when necessary.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Alcoholic
Flash point	12
Relative density	0.80 NOMINAL
Solubility	Slightly soluble in water

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

## 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	Harmful by inhalation and if swallowed.
Skin corrosion/irritation	Irritating to eyes and skin. Risk of serious damage to eyes. Seek medical attention if irritation or symptoms persist.
Repeated or prolonged exposure	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.

## SECTION 12: Ecological information

## 12.1. Toxicity

	May cause long-term adverse effects in the aquatic environment.
--	---

## 12.2. Persistence and degradability

	Water endangering.
--	--------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## Hazard pictograms

	
--	---

## EP 98022 UPVC SOVENT CLEANER

Revision 2

Revision date 2015-06-22

<b>14.1. UN number</b>	
	UN1993
<b>14.2. UN proper shipping name</b>	
	FLAMMABLE LIQUID, N.O.S.
<b>14.3. Transport hazard class(es)</b>	
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
<b>14.4. Packing group</b>	
Packing group	I
<b>14.5. Environmental hazards</b>	
Environmental hazards	No
Marine pollutant	No
<b>ADR/RID</b>	
Hazard ID	33
Tunnel Category	(D/E)
<b>IMDG</b>	
EmS Code	F-E S-E
<b>IATA</b>	
Packing Instruction (Cargo)	361
Maximum quantity	30 L
Packing Instruction (Passenger)	351
Maximum quantity	1 L
<b>SECTION 15: Regulatory information</b>	
<b>15.2. Chemical safety assessment</b>	
	No chemical Safety assessment has been carried out by the supplier.
<b>SECTION 16: Other information</b>	
<b>Other information</b>	
<b>Revision</b>	This document differs from the previous version in the following areas:. 1 - REACH. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 8 - DNEL: Derived no-effect level. 9 - 9.1. Information on basic physical and chemical properties (Solubility). 15 - 15.2. Chemical safety assessment.
<b>Text of risk phrases in Section 3</b>	R11 - Highly flammable. R36 - Irritating to eyes. R65 - Harmful: may cause lung damage if swallowed.

## EP 98022 UPVC SOVENT CLEANER

Revision 2

Revision date 2015-06-22

## Other information

<b>Text of Hazard Statements in Section 3</b>	R66 - Repeated exposure may cause skin dryness or cracking.
	R67 - Vapours may cause drowsiness and dizziness.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--