

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

J908

Revision 2
Revision date 2015-06-19

1.1. Product identifier

Product name	J908
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
---------	-----------------------

Address Unit F

Westminster Industrial Estate

Measham Derbyshire DE12 7DS

Web www.chemicalsuppliers.uk.com

Telephone +44 (0)1530 272922 **Fax** +44 (0)1530 272921

Email sales@assuredsolutionsltd.co.uk sales@assuredsolutionsltd.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number 01530

Company

01530 272 922

ASSURED SOLUTIONS LTD

24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC
1272/2008

Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement:

Prevention

P264 - Wash thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Revision 2
Revision date 2015-06-19

2.2. Label elements

Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES
Disposal	

2.3. Other hazards

a	
Other hazards	I SPILLAGE MAY CREATE SLIP HAZARD.
Oli Oli Hazardo	OF ILLA COL MAKE ON THE COLIT TO NEW MEDICAL COLOR OF THE COLIT TO NEW MEDICAL COLOR OF THE CO

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
				90 - 100%		
	68424-85-1	270-325-2	01-2119970550-39	0.5 - 1%	C; R34 Xn; R21/22 N; R50	
	68439-46-3			0 - 0.5%	Xn; R22 Xi; R41	
				0 - 0.5%		
				0 - 0.5%		
601-029-00-7	138-86-3	205-341-0		0 - 0.5%	R10 Xi; R38 R43 N; R50/53	
		68424-85-1 68439-46-3	68424-85-1 270-325-2 68439-46-3	68424-85-1 270-325-2 01-2119970550-39 68439-46-3	Number (%w/w) 90 - 100% 68424-85-1 270-325-2 01-2119970550-39 0.5 - 1% 68439-46-3 0 - 0.5% 0 - 0.5%	Number (%w/w) 90 - 100% 68424-85-1 270-325-2 01-2119970550-39 0.5 - 1% C; R34 Xn; R21/22 N; R50 68439-46-3 0 - 0.5% Xn; R22 Xi; R41 0 - 0.5% 0 - 0.5%

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					90 - 100%		
Benzyl C12-16 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	0.5 - 1%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
PERFUME					0 - 0.5%	,	
DYE					0 - 0.5%		
Dipentene	601-029-00-7	138-86-3	205-341-0			Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No Significant Hazard.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.



Revision 2
Revision date 2015-06-19

5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective clothing.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	entainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	ng
	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
SECTION 8: Exposure contr	ols/personal protection
DNEL: Derived no-effect level.	
	No data available.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	In case of splashing, wear:. Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.
SECTION 9: Physical and ch	nemical properties
9.1. Information on basic physica	· ·
Appearance	Liquid
	Yellow
	Pleasant
•	7.0 NOMINAL
Initial boiling point	100

Water solubility

Soluble in water.

7.0 NOMINAL

SECTION 10: Stability and reactivity

Relative density

10.2. Chemical stability



Revision 2
Revision date 2015-06-19

1	0.2.	Chem	ical	sta	bility
---	------	------	------	-----	--------

Stable under normal conditions

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to eyes. Seek medical attention if irritation or symptoms persist.

11.1.4. Toxicological Information

Benzyl C12-16 Alkyldimethyl,	Oral Rat LD50: 200-2000mg/kg
Chlorides	

SECTION 12: Ecological information

12.1. Toxicity

No data is available on this product. Toxic to algae. Toxic to fish.

12.2. Persistence and degradability

More than 90% biodegradable.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas:.

- 1 REACH.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Signal Word.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Disposal.
- 8 DNEL: Derived no-effect level.
- 12 12.1. Toxicity.
- 15 15.2. Chemical safety assessment.

Text of risk phrases in Section

3

R10 - Flammable

R21/22 - Harmful in contact with skin and if swallowed.

R22 - Harmful if swallowed.

R34 - Causes burns.

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R50 - Very toxic to aquatic organisms.



Revision 2
Revision date 2015-06-19

Other information		
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

