



...advanced chemical solutions for industry...

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

D434 WASHING UP LIQUID (YELLOW)

Revision 3

Revision date 2015-06-29

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	D434 WASHING UP LIQUID (YELLOW)
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
Address	Unit H Westminster Industrial Estate Measham Derbyshire DE12 7DS
Web	www.chemicalsuppliers.uk.com
Telephone	+44 (0)1530 272922
Fax	+44 (0)1530 272921
Email	sales@assuredsolutionsltd.co.uk
Email address of the competent person	sales@assuredsolutionsltd.co.uk

1.4. Emergency telephone number

Emergency telephone number	01530 272 922
Company	ASSURED SOLUTIONS LTD 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R36 Symbols: Xi: Irritant.
Main hazards	Irritating to eyes.
2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P103 - Read label before use.

D434 WASHING UP LIQUID (YELLOW)

Revision 3

Revision date 2015-06-29

2.2. Label elements

Precautionary Statement: Response	P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

2.3. Other hazards

Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.
----------------------	----------------------------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
2 PHENOXY ETHANOL		122-99-6			0 - 0.5%	Xn; R22	
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Xi; R38-41	
WATER					70 - 80%		
AMINE SALT OF ALKYL BENZENE SULPHONIC ACID SODIUM LAURETH ETHER SULPHATE		90194-42-6		01-2119488639-16	0 - 0.5%	Xi; R36/38	
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Xn; R22-48/22 Xi; R38-41	
2-METHYLISOTHIAZOL-3(2H)-ONE		2682-20-4	220-239-6		0 - 0.5%	T; R23/24 C; R34 Xn; R22 Xi; R43 N; R50	
GLYCERINE (Glycerol, mist)		56-81-5	200-289-5		0.5 - 1%		
SODIUM CHLORIDE		7647-14-5	231-598-3		0 - 0.5%		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
2 PHENOXY ETHANOL		122-99-6			0 - 0.5%	Acute Tox. 4: H302; Eye Irrit. 2: H319;	
COCONUT DIETHANOLMINE		8051-30-7			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;	
WATER					70 - 80%		
AMINE SALT OF ALKYL BENZENE SULPHONIC ACID SODIUM LAURETH ETHER SULPHATE		90194-42-6		01-2119488639-16	0 - 0.5%	Skin Irrit. 2: H315; Eye Dam. 1: H318;	
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0		0 - 0.5%	Acute Tox. 4: H302; STOT RE 2: H373; Skin Irrit. 2: H315; Eye Dam. 1: H318;	
2-METHYLISOTHIAZOL-3(2H)-ONE		2682-20-4	220-239-6		0 - 0.5%	Acute Tox. 3: H301+H311; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 2: H330; Aquatic Acute 1: H400;	
GLYCERINE (Glycerol, mist)		56-81-5	200-289-5		0.5 - 1%		
SODIUM CHLORIDE		7647-14-5	231-598-3		0 - 0.5%		

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

D434 WASHING UP LIQUID (YELLOW)

Revision 3

Revision date 2015-06-29

4.1. Description of first aid measures

Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

GLYCERINE (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

	No data is available on this product.
--	---------------------------------------

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Not normally required.

D434 WASHING UP LIQUID (YELLOW)

Revision 3

Revision date 2015-06-29

8.2. Exposure controls

Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Yellow
Odour	Mild
pH	7.0 NOMINAL
Melting point	0
Initial boiling point	100
Relative density	1.025 NOMINAL

Water solubility

	Soluble in water.
--	-------------------

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product. Ingestion may cause nausea and vomiting.
Skin corrosion/irritation	May cause irritation to eyes. No irritation expected.

SECTION 12: Ecological information

12.1. Toxicity

	No data is available on this product.
--	---------------------------------------

12.2. Persistence and degradability

	More than 90% biodegradable.
--	------------------------------

12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

Further information

	No known adverse environmental effects.
--	---

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

Further information

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.2. Chemical safety assessment

	No chemical Safety assessment has been carried out by the supplier.
--	---

SECTION 16: Other information

D434 WASHING UP LIQUID (YELLOW)

Revision 3

Revision date 2015-06-29

Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> 1 - REACH. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Disposal. 8 - 8.2.1. Appropriate engineering controls. 8 - 8.2.2. Individual protection measures. 8 - DNEL: Derived no-effect level. 12 - 12.1. Toxicity.
Text of risk phrases in Section 3	<ul style="list-style-type: none"> R22 - Harmful if swallowed. R23/24 - Toxic by inhalation and in contact with skin. R34 - Causes burns. R36/38 - Irritating to eyes and skin. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed. R50 - Very toxic to aquatic organisms.
Text of Hazard Statements in Section 3	<ul style="list-style-type: none"> Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 2: H330 - Fatal if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life.
Further information	
	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>