

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

EP 09005

Revision 2
Revision date 2015-07-27

SECTION 1: Identification of the substance/mixture and of	f the company/undertaking
---	---------------------------

1.1. Product identifier

Product name	EP 09005
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	/	Assured	Solutions	Ltd
---------	---	---------	-----------	-----

Address Unit H

Westminster Industrial Estate

Measham Derbyshire DE12 7DS

Web www.chemicalsuppliers.uk.com

 Telephone
 +44 (0)1530 272922

 Fax
 +44 (0)1530 272921

Email sales@assuredsolutionsltd.co.uk sales@assuredsolutionsltd.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number | 01530 272 922

Company ASSURED SOLUTIONS LTD

24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	F; R11 Xi; R36 R67
1999/45/EC	Symbols: F: Highly flammable. Xi: Irritant.
Main hazards	Highly flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.
2.1.2. Classification - EC	Flam. Liq. 2: H225; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H336; Aquatic Chronic 3:
1272/2008	H412:

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement Flam. Lig. 2: H225 - H

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Revision 2
Revision date 2015-07-27

2.2. Label elements

	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.				
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No				
Prevention	smoking.				
	P233 - Keep container tightly closed.				
	P243 - Take precautionary measures against static discharge.				
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.				
	P271 - Use only outdoors or in a well-ventilated area.				
	P273 - Avoid release to the environment.				
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.				
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse				
Response	skin with water/shower.				
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact				
	lenses, if present and easy to do. Continue rinsing.				
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.				
	P332+P313 - If skin irritation occurs: Get medical advice/attention.				
	P337+P313 - If eye irritation persists: Get medical advice/attention.				
	P370+P378 - In case of fire: Use suitable media to extinguish.				
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.				
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.				
	P405 - Store locked up.				
Precautionary Statement:	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES				
Disposal	·				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		80 - 90%	F; R11 Xi; R36 R67	
Benzyl C12-16 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	0.5 - 1%	C; R34 Xn; R21/22 N; R50	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Isopropanol (Propan-2-ol) WATER	603-117-00-0	67-63-0	200-661-7		80 - 90% 1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
Benzyl C12-16 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	0.5 - 1%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

SECTION 5: Firefighting measures



Revision 2 Revision date 2015-07-27

	Carbon dioxide (CO2).
5.2. Special hazards arising fron	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes. Vapour may travel considerable distance to source of ignition and flash back.
5.3. Advice for firefighters	
	Self-contained breathing apparatus. Wear protective clothing.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	ng
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion

SECTION 8: Exposure controls/personal protection

7.2. Conditions for safe storage, including any incompatibilities

containers

8.1. Control parameters

5.1. Extinguishing media

8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999		
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	inhalable dust: inhalable dust:			
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		

proof equipment. Keep away from sources of ignition - No smoking.

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled

DNEL: Derived no-effect level.

NI	n data	ic a	allable	on	thic	produc	ŧ
1/10	o data	ıs av	/allable	on	tnis	produc	ε.

8.2. Exposure controls						
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.					
controls						
8.2.2. Individual protection	Wear suitable protective clothing.					
measures						
Eye / face protection	Approved safety goggles.					
Skin protection -	Chemical resistant gloves (PVC).					
Handprotection						
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.					

SECTION 9: Physical and chemical properties



Revision 2 Revision date 2015-07-27

9.1. Information on basic physical and chemical properties

Appearance
Colour
Colour Colourless
Odour
Alcoholic
Flash point
Relative density

0.800 NOMINAL

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents.

10.4. Conditions to avoid

Heat, sparks and open flames.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	May cause dizziness and headache.
Skin corrosion/irritation	Irritating to eyes and skin. May cause degreasing of the skin.
Repeated or prolonged	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
exposure	

11.1.4. Toxicological Information

Benzyl C12-16 Alkyldimethyl,	Oral Rat LD50: 200-2000mg/kg
Chlorides	

SECTION 12: Ecological information

12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Evaporates readily.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1219

14.2. UN proper shipping name

ISOPROPANOL

14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	3



Revision 2
Revision date 2015-07-27

14.3. Transport hazard class(es)	
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	II
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	33
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	353
Maximum quantity	5 L
SECTION 15: Pagulatory information	

SECTION 15: Regulatory information

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	1 - REACH.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Hazard pictograms.
	2 - Signal Word.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Storage.
	2 - Precautionary Statement: Disposal.
	8 - Respiratory protection.
	8 - 8.2.2. Individual protection measures.
	8 - DNEL: Derived no-effect level.
	12 - 12.1. Toxicity.
	15 - 15.2. Chemical safety assessment.
Text of risk phrases in Section	R11 - Highly flammable.
3	R21/22 - Harmful in contact with skin and if swallowed.
	R34 - Causes burns.
	R36 - Irritating to eyes.
	R50 - Very toxic to aquatic organisms.
	R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.

Revision 2 Revision date 2015-07-27

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

